

Technical sheet :

GENERAL PURPOSE BUCKET UK



Benefits







- General purpose attachment for a daily use in construction or de-construction activities.
- Basic attachment for loading and unloading operations on all surfaces.
- Robust and easy to use this bucket meets the needs of very different work fields.
- Ideal bucket for handling bulk materials: sand & gravel, earth, broken glass etc.


Technical characteristics

- Wide range of bucket capacity from 500L to 1300L.
- Recovery bucket suitable for handling materials with a density ≤ 2.1 .
- Reinforced structure (base, blade, sides).



Technical characteristics		BGP 1500 / 500	BGP 1850 / 700
Distance to center of gravity (in)		1' 2"	1' 2"
Capacities			
Heaped Capacity (US gal)		132	251
Struck capacity (US gal)		106	203
Weight and dimensions			
Overall height (in)	h17	2' 5"	2' 5"
Width (in)		5'	6' 1"
Length (in)		2' 7"	2' 11"
Overall weight (lbs)		503	591
Working Parameters			
Machine Equipment		-	×
Flexible tube		No	No
Hydraulic system		No	No
Machines compatibility		BGP 1500 / 500	BGP 1850 / 700
Reference number		52664103	-
MT 420 H		X	-

TABLE SYMBOL					
	No predisposition required		Hydraulic line		Return piping to hydraulic oil tank
	Electric predisposition		Platform predisposition		Tyre handler, cylinder handler predisposition



Siège Social

430 rue de l'Aubinière - 44150 Ancenis Cedex - France

Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97

www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes