

Technical sheet :

GENERAL PURPOSE BUCKET (MHT)



Benefits

- High-resistance general purpose buckets adapted to the power of MHT heavy telehandlers.







Technical characteristics


- Strong attachments for a long lasting life.
- 500HB bolted wear plate.
- Note: road circulation kit mandatory in Italy. Contact your dealer.

 **ATTACHMENTS**

Capacities	CBR 1000 / 2500	CBR 1500 / 2500	CBR 2000 / 2500 LDR MHT
Capacity (lb)	2204.62	3306.93	4409.25
Weight and dimensions			
Width (in)	8' 2"	8' 2"	8' 2"
Overall weight (lb)	1463.87	1688.74	2041.48
Working Parameters			
Machine Equipment	✕	✕	✕
Flexible tube	No	No	No
Other Data for Attachments			
Bolted wearplate (LDR)	Standard	Standard	Standard

Machines compatibility	CBR 1000 / 2500	CBR 1500 / 2500	CBR 2000 / 2500 LDR MHT
Reference number E-RECO	939165	939166	52000532
MHT 790 ST5	X	X	-
MHT 10135 ST5	-	-	X
MHT 10160 ST5	-	-	X
MHT 10200 ST5	-	-	X
MHT 11250 ST5	-	-	X
MHTX 790	X	X	-
MHTX 790 Mining	X	X	-
MHTX 790 ST3A	X	X	-
MHTX 10130	-	-	X
MHTX 10135 ST3A	-	-	X
MHTX 10160 ST3A	-	-	X
MHTX 10180	-	-	X
MHTX 10200 ST3A	-	-	X
MHTX 10230	-	-	X
MHTX 11250 Mining	-	-	X
MHTX 11250 ST3A	-	-	X
MHT 790 OLD	X	X	-
MHT 10130 OLD	-	-	X
MHT 10180 OLD	-	-	X
MHT 10230 OLD	-	-	X

TABLE SYMBOL					
	No predisposition required		Hydraulic line		Return piping to hydraulic oil tank
	Electric predisposition		Platform predisposition		Tyre handler, cylinder handler predisposition



Head Office

B.P. 249 - 430 rue de l'Aubinière

44150 Ancenis Cedex - France

Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97

www.manitou.com



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39 547 824 euros - 857 802 508 RCS Nantes